





CONIX®DUO COPPER

۲


CONIX®DUO COPPER resolves any smoke exhaust problem for civil and industrial systems (working temperatures up to 600°C with maximum 1,000°C peaks).

It offers highly aesthetic features and can be used to create chimneys for single flues or grouped flues for forced draught C type equipment or branched grouped flues for natural draught B type equipment.

The CONIX®DUO COPPER dual wall chimney system is made up of three concentric layers of modular circular section parts.

 ϵ

۲



External wall designed to protect and encase the insulation, made of natural copper or AISI 304 type copper-plated austenitic stainless steel, laser or Tig welded with certified welding processes.

Internal wall in direct contact with smoke, made of AISI 316L type austenitic stainless steel, laser or Tig welded with certified welding processes.

Intermediate layer acts as insulation, made up of high density (110 kg/m³) radiating basaltic rock wool, 25mm thick and 0.058W/mK conductivity (at 200°C temperature).

۲

The 5 benefits of Conix[®]

Seal against fumes and condensation



No silicone gaskets and no risks associated with deterioration of

Better flue draught pressure

Quick and easy installation

Conix[®], safety at all times

CONIX® is the revolutionary flue system made of stainless steel with conical coupling patented in Europe. It can work in a safe and efficient manner in all conditions, without need for gaskets or clamps on its components, and is quick and easy to install.


The various parts of the CONIX® System are joined using a simple welding procedure. As no gaskets or clamps are needed, the system can be installed in half the time and with great ease, the pipes in particular.

Innovation by vocation

The sturdiness, benefits and guaranteed qualities of the new CONIX® system have motivated Camini Wierer to take a bold step: to discard the old system with couplings once and for all. This is a radical decision based on the

total safety and trustworthiness of the product, a strategic aim so important as to now feature on the product logo; and a commercial venture that will see Camini Wierer phasing out silicone gaskets completely by 10.10.2010.

INSTALLATION OVERVIEW







CAMINI WIERER S.p.A. • Via Fontanelle, 5 • 37055 Ronco all'Adige - VERONA • Tel. +39 045 6608333 • Fax +39 045 6608300 info@caminiwierer.com • www.caminiwierer.com